

JFW



EXPRESS MAIL LABEL NO. EV516214435US
PATENT

N1085-00212
[TSMC2003-0607]

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In-Office Application Of: Chien-Hua Huang et al.

Examiner: Andrew Q. Tran

Serial No.: 10/696,291

Group Art Unit: 2824

Filed: October 29, 2003

Confirmation No.: 5131

For: CIRCUIT AND METHOD FOR SELF-REFRESH OF DRAM CELL

NOTICE OF ALLOWANCE

Dated: 09/21/04

I CERTIFY THAT THIS CORRESPONDENCE IS BEING DEPOSITED WITH THE U.S. POSTAL SERVICE AS EXPRESS MAIL NO. EV516214435US UNDER 37 CFR 1.10 IN AN ENVELOPE ADDRESSED TO THE COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450 ON THE DATE INDICATED BELOW.

ON 1/18/05
Joseph A. Powers
JOSEPH A. POWERS

Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**COMMUNICATION UNDER 37 CFR 1.312 – SUBMISSION OF CORRECTED
DRAWING**

Dear Sir:

This communication is responsive to the Supplemental Notice of Allowability dated January 7, 2005. In the Supplemental Notice of Allowability, the Examiner notes that the corrected or substitute drawing filed November 30, 2004 is not acceptable because block circuit 130 of FIG. 1 should be labeled as "RING-OSCILLATION UNIT". A Replacement Sheet 1 is provided correcting FIG. 1 to include the changes required by the Examiner's Amendment in the Notice of Allowability dated September 21, 2004 and in this Supplemental Notice of

EXPRESS MAIL LABEL NO. EV516214435US
PATENT

N1085-00212
[TSMC2003-0607]

Allowability.

The Examiner also notes that applicant is required to submit a marked-up copy of each Replacement Sheet. Applicant respectfully notes that Rule 1.121(d)(1) and (2) indicate that marked-up copies "may be included" by the Examiner and "must be provided when required by the examiner." It is submitted that the Examiner made no such requirement in the first Notice of Allowability. However, as the Examiner now makes such a requirement, a marked-up copy of Sheet 1 labeled as "Annotated Marked-up Drawings" is presented showing the correction to drawings required by the Examiner, i.e., labeling the drawings "Prior Art" and correcting "RNC-OSCILLATION UNIT" to "RING-OSCILLATION UNIT".

It is submitted that Applicant has now complied with all requirements and that the application should move to issuance.


Please charge any fees associated with this submission to Deposit Account 04-1679.

Respectfully submitted,

Date: _____

1/18/05

By: _____



Joseph A. Powers, Esquire
Reg. No. 47,006
Attorney for Applicants

DUANE MORRIS LLP
One Liberty Place, Suite 4200
Philadelphia, Pennsylvania 19103-7396
(215) 979-1842 (Telephone)
(215) 979-1020 (Fax);